

Republic of the Philippines Department of Education Region V (Bicol) DIVISION OF CATANDUANES Virac, Catanduanes



RECORDS SECTION

-itial/Sienature:

Date

RELEASE

DenEd, Division of Catanduane

Memorandum

TO :

Public Schools District Supervisors

Elementary and Secondary School Heads

FROM

SOCORRO V. DELA ROSA, CESO V.

Schools Division Superintendent

SUBJECT

Sodium Fluoride Varnish Application to Kindergarten to Grade III

Pupils.

DATE

August 15, 2019

- 1. In consonance with the School Dental Health Care Program, The Department of Education Division of Catanduanes will conduct a Sodium Fluoride Varnish Application Activity to all Kindergarten Grade III pupils of Public Elementary Schools.
- 2. Attached herewith is a sample of permission slip to be use in the said program.
- 3. It is expected that the said permission slips must be signed and ready in time for the event. (advisory for the schedule of schools will be posted soon)
- 4. For information and strict compliance

Republic of the Philippines Department of Education Region V (Bicol) DIVISION OF CATANDUANES Virac

District of

Doctor:

20

baitang	si ng
School para sa	
Dontal T	
	reatment
Fluoride	Varnish Application
	Lagda (Magulang o Tagapangalaga
	Republic of the Philippines
	Department of Education
	Region V (Bicol)
DI	VISION OF CATANDUANES
	Virac
District	of
	20
Ooctor:	
Akana	
a anak kong si	ay pumapayag at nagbibigay ng pahintulot
aitang	ng
chool para sa:	
7-	
Dental Tre	atment
Elugrida Va	arnish Application
_ ridoride va	i priodeloni

Republic of the Philippines Department of Education Region V (Bicol) DIVISION OF CATANDUANES Virac

District of	
	20
Doctor:	
Ako po ay pumapayag at nagbil	bigay ng pahintulo
sa anak kong si	
baitangng	
School para sa:	
Dental Treatment	
Fluoride Varnish Application	

Republic of the Philippines
Department of Education
Region V (Bicol)
DIVISION OF CATANDUANES
Virac

District of	
-	20
Doots	
Doctor:	
AL.	
Ako po ay pumapayag	at nagbibigay ng pahintulot
sa anak kong si	· ·
baitang ng	
School para sa:	
Dental Treatment	
Fluoride Varnish Applica	ition